



Fertilizer Spreader

F S



Fertilizer Spreader

FS



	FS-90	FS-80	FS-75	FS-50
Rows width (cm)	180	160	150	150
Recommended speed (km/h)	5-3	5-3	5-3	5-3
Tractor power min. (hp)	85(100)*	85(100)*	85(100)*	85(100)*
Linkage	Mounted Three-point	Mounted Three-point	Mounted Three-point	Mounted Three-point
Fertilizer hopper capacity (liter)	150	150	150	150
Manure hopper capacity (liter)	1400	1400	1400	1400
Dimensions (cm)	234x195x210	234x195x210	234x195x192	251x218x192
weight (kg)	912*/801	912*/801	791*/680	773*/662

*Only Fertilizer hopper capacity in model FS-F

Fertilizer Spreader

FS

Fertilizer Spreader for rows width
150-160-180 is available



All models with a chemical fertilizer unit is also available for order.(FS-F)



it is also possible to install equipment to place plastic mulch along with fertilizing nozzle and preparation of seed bed before sowing .

Capable of laying drip irrigation tapes with bed former and fertilization simultaneously.FS-50



Fertilizer Spreader

FS

- Usable for fertilization and preparing seed bed before sowing.
- Usable for fertilization, hilling and weeding of potato farms after sowing.
- Spreading manure and fertilizer simultaneously.(Model FS-F)
- Fertilizer hopper capacity 1400 lit.
- Manure hopper with a conveyor mechanism.
- Capable of laying drip irrigation tapes with bed former and fertilization simultaneously.
- it is also possible to install equipment to place plastic mulch

Fertilizer Spreader



FERTILIZER SPREADER
FS



Contact Us



+98 913 481 7549

+98 913 433 0418



www.sabzdashtmachine.com



info@sabzdashtmachine.com



sabzdashtco



sabzdasht