



POTATO PLANTER

AB2-90



POTATO PLANTER

AB2-90



TECHNICAL DATA	AB2-90	AB2-F-90
Number of rows	2	2
Rows width (cm)	80-90	80-90
Planting distance (cm)	10-26	10-26
Recommended speed (km/h)	2-4	2-4
Tractor power min. (hp)	75	90
Linkage	Mounted Three-point	Mounted Three-point
Working rate approx. (ha/h)	0.45-0.5	0.4-0.45
Seed hopper capacity (kg)	550	550
Fertilizer hopper capacity (liter)	-	120
Dimensions (cm)	206x198x168	228x198x168
weight (kg)	680	860


POTATO PLANTER

AB2-90

In zigzag planting, each crop benefits from more growth environment before starting competition with the production of potato in unifying form.

Zigzag planting arrangement benefits:

- **Increasing yield in hectar by increasing crop number in hectar**
- **Increasing effeciency**
- **Saving in water consumption and save soil humidity**
- **Decreasing crop growth time.**
- **Uniform potato tubers and decreasing harvesting time in order to increase collecting crop quality and speed.**



Potato planter AB2-F-90 had fertilizer hopper that placed fertilizer in two sides and under the seed.

Three red, green and blue cups for small, medium and big potato tuber.



Soil covering presented in two forms of furrower or shaping board.



POTATO PLANTER AB2-90

- **It is suitable for planting potato in small and medium farms.**
- **In the AB2-F-90 model, it is possible to place fertilizer on either sides and under tubers**

POTATO PLANTER

AB2-90



AB2-F-90





Contact Us



+98 913 481 7549

+98 913 433 0418



www.sabzdashtmachine.com



info@sabzdashtmachine.com



sabzdashtco



sabzdasht