



POTATO DIGGER

PRO**MAX**

SD150



POTATO DIGGER PROMAX

SD150




	SD150
Number of rows	2
Working width (cm)	160-140
Tractor power min. (hp)	80 / 100*
Linkage	Mounted Three-point
Working rate approx. (ha/h)	0.6-0.3
PTO shaft	540
Dimensions (cm)	285x180x130
weight (kg)	890/ 1180*

*the specifications are related to the model of two elevator .

POTATO DIGGER PROMAX

SD150

The machine can be converted from a two-sieve system to a single-sieve system, depending on the harvesting conditions and soil type.



It is equipped with diablo rollers to break up clods and improve harvest quality in heavy soils .

It is equipped with a leveling roller to facilitate the easy collection of the harvested crop





POTATO DIGGER SD150

- **Unique design, high efficiency**
- **Increased harvesting precision**
- **It has two separate, wide sieves for better product sorting**
- **The machine can be converted from a two-sieve system to a single-sieve system, depending on the harvesting conditions and soil type**
- **The angle of the second sieve can be adjusted to control the screening of the tubers, taking into account the type of potato skin**
- **The height of the device can be adjusted using the wheels, allowing it to operate effectively in different moisture conditions**

POTATO DIGGER **PROMAX**

SD150





Contact Us



+98 913 481 7549

+98 913 433 0418



www.sabzdashtmachine.com



info@sabzdashtmachine.com



sabzdashtco



sabzdasht